

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1****Product information**

Product Name : AlphaPlus® C20-24
 Material : 1037057, 1083291, 1059406, 1059404, 1036985, 1037058

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Alkenes, C20-24 α-	93924-10-8 300-202-1	Chevron Phillips Chemical Company LP 01-2119485290-39-0000

1.2**Relevant identified uses of the substance or mixture and uses advised against**

Relevant Identified Uses Supported :

- Manufacture
- Use as an intermediate
- Formulation
- Use in Oil and Gas field drilling and production operations - Industrial
- Use in Oil and Gas field drilling and production operations – Professional
- Lubricants - Industrial
- Lubricants - Professional
- Lubricants - Consumer
- Metal working fluids / rolling oils - Industrial
- Metal working fluids / rolling oils – Professional
- Use as a fuel - industrial
- Use as a fuel – professional
- Use as a fuel – consumer
- Functional Fluids - Industrial
- Functional Fluids - Professional
- Functional Fluids - Consumer
- Use in polymer production – industrial
- Other consumer uses

1.3**Details of the supplier of the safety data sheet**

Company : Chevron Phillips Chemical Company LP
 Normal Alpha Olefins (NAO)
 10001 Six Pines Drive

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
 Airport Plaza (Stockholm Building)
 Leonardo Da Vincilaan 19
 1831 Diegem
 Belgium

SDS Requests: (800) 852-5530
 Technical Information: (832) 813-4862
 Responsible Party: Product Safety Group
 Email:sds@cpchem.com

1.4**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification**2.1****Classification of the substance or mixture
REGULATION (EC) No 1272/2008**

Aspiration hazard, Category 1

H304:

May be fatal if swallowed and enters airways.

2.2**Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.

Precautionary Statements : **Response:**
 P301 + P310 IF SWALLOWED: Immediately call a
 POISON CENTER or doctor/ physician.
 P331 Do NOT induce vomiting.

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling:

EUH210 Safety data sheet available on request.

SECTION 3: Composition/information on ingredients**3.1 - 3.2****Substance or Mixture**

Synonyms : NAO 20-24
C20-24 Alpha Olefin Fraction

Molecular formula : UVCB

Hazardous ingredients

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]
Alkenes, C20-24 α -	93924-10-8 300-202-1	Asp. Tox. 1; H304	100

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1****Description of first-aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Do not ingest. If swallowed then seek immediate medical assistance.

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

SECTION 5: Firefighting measures

Flash point : 183°C (361°F)
Method: PMCC

Autoignition temperature : 239°C (462°F)

5.1**Extinguishing media**

Unsuitable extinguishing media : High volume water jet.

5.2**Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.3**Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Provide appropriate exhaust ventilation at places where dust is formed.

SECTION 6: Accidental release measures**6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Avoid dust formation. Avoid breathing dust.

6.2**Environmental precautions**

Environmental precautions : Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3**Methods and materials for containment and cleaning up**

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4**Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

SECTION 7: Handling and storage**7.1****Precautions for safe handling
Handling**

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

7.2**Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**8.1****Control parameters**

PNEC : Fresh water
Value: 0,001 mg/l

PNEC : Marine water
Value: 0,001 mg/l

8.2**Exposure controls
Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

occur, such as:. Air-Purifying Respirator for Organic Vapors, Dusts and Mists. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Safety glasses.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Safety shoes.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

SECTION 9: Physical and chemical properties**9.1****Information on basic physical and chemical properties****Appearance**

- Form : Wax., solid
 Physical state : solid
 Color : White

Safety data

- Flash point : 183°C (361°F)
 Method: PMCC
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : no
- Autoignition temperature : 239°C (462°F)
- Molecular formula : UVCB
- Molecular weight : Varies
- pH : Not applicable

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

Melting point/range	: 35°C (95°F)
Pour point	No data available
Boiling point/boiling range	: 342-390°C (648-734°F)
Vapor pressure	: < 0,01 kPa at 65°C (149°F)
Relative density	: 0,8 at 15,6 °C (60,1 °F)
Density	: 815 kg/m3 at 15°C (59°F) 792 kg/m3 at 50°C (122°F)
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 6,356 cSt at 40°C (104°F)
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable

SECTION 10: Stability and reactivity**10.1**

Reactivity : Stable at normal ambient temperature and pressure.

10.2

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3**Possibility of hazardous reactions**

Hazardous reactions : Further information: No decomposition if stored and applied as directed.

10.4

Conditions to avoid : No data available.

10.5

Materials to avoid : No data available.

10.6

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1****Information on toxicological effects****AlphaPlus® C20-24**

Acute oral toxicity : LD50 Oral: > 5.000 mg/kg
 Species: Rat
 Sex: male and female
 Method: OECD Test Guideline 423
 Test substance: yes

AlphaPlus® C20-24

Acute inhalation toxicity : LC50: 110.1 mg/LExposure time: 4 h
 Species: Rat
 Sex: male
 Test atmosphere: vapor
 Method: OECD Test Guideline 403
 Information given is based on data obtained from similar substances.

AlphaPlus® C20-24

Acute dermal toxicity : LD50 Dermal: > 2.000 mg/kg
 Species: Rat
 Sex: male and female
 Method: OECD Test Guideline 402
 Information given is based on data obtained from similar substances.

AlphaPlus® C20-24

Skin irritation : No skin irritation.

AlphaPlus® C20-24

Eye irritation : No eye irritation. Information given is based on data obtained from similar substances.

AlphaPlus® C20-24

Sensitization : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

Alkenes, C20-24 α- : Species: Rat, Male and female
 Sex: Male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/d
 Exposure time: 42-51 days
 Number of exposures: Daily
 NOEL: 1000 mg/kg bw/day
 Method: OECD Guideline 422

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

Species: Rat, Male and female
 Sex: Male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/d
 Exposure time: 13 weeks
 Number of exposures: 7 d/wk
 NOEL: 1000 mg/kg bw/day
 Method: OCED Guideline 408

Species: Rat, Male and female
 Sex: Male and female
 Application Route: Inhalation
 Dose: 300, 1000, 3000 ppm
 Exposure time: 13 weeks
 Number of exposures: 5 d/wk, 6 hrs/d
 NOEL: 3000 ppm
 Method: OECD Guideline 413

Genotoxicity in vitro

Alkenes, C20-24 α - : Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Result: negative

Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Result: negative

Test Type: Mammalian cell gene mutation assay
 Metabolic activation: with and without metabolic activation
 Method: OECD Guideline 476
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: negative

Genotoxicity in vivo

Alkenes, C20-24 α - : Test Type: Mouse micronucleus assay
 Species: Mouse
 Exposure time: 500, 1,000, 2,000 mg/kg
 Method: Mutagenicity (micronucleus test)
 Result: negative

Test Type: Mouse micronucleus assay
 Species: Mouse
 Exposure time: 1,000, 10,000, 25,000 ppm
 Method: Mutagenicity (micronucleus test)
 Result: negative

Reproductive toxicity

Alkenes, C20-24 α - : Species: Rat
 Sex: male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/day
 Number of exposures: Daily
 Test period: 41-55 days

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

Method: OECD Guideline 422
 NOAEL Parent: 1000 mg/kg bw/day
 NOAEL F1: 1000 mg/kg bw/day

Species: Rat
 Sex: male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/d
 Number of exposures: Daily
 Test period: 42-51days
 Method: OECD Guideline 421
 NOAEL Parent: 1000 mg/kg bw/day
 NOAEL F1: 1000 mg/kg bw/day

**AlphaPlus® C20-24
Aspiration toxicity**

: May be fatal if swallowed and enters airways.

CMR effectsAlkenes, C20-24 α -

: Carcinogenicity: Not available
 Mutagenicity: Did not show mutagenic effects in animal experiments.
 Teratogenicity: Did not show teratogenic effects in animal experiments.
 Reproductive toxicity: No toxicity to reproduction

**AlphaPlus® C20-24
Further information**

: No data available.

SECTION 12: Ecological information**12.1****Toxicity****Ecotoxicity effects****Toxicity to fish**

: LL50: > 1,000 mg/l
 Exposure time: 96 h
 Species: Oncorhynchus mykiss (rainbow trout)
 semi-static test Method: OECD Test Guideline 203
 The product has low solubility in the test medium. An aqueous dispersion was tested.

**Toxicity to daphnia and
other aquatic invertebrates**

: EL50: 1,000 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 static test Method: OECD Test Guideline 202

Toxicity to algae

: EL50: > 1,000 mg/l
 Exposure time: 72 h
 Species: Selenastrum capricornutum (algae)
 static test Method: OECD Test Guideline 201
 The product has low solubility in the test medium. An aqueous dispersion was tested.

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

12.2**Persistence and degradability**

Biodegradability : This material is expected to be readily biodegradable. Information given is based on data obtained from similar substances.

12.3**Bioaccumulative potential**

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

12.4**Mobility in soil**

Mobility : No data available

12.5**Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6**Other adverse effects**

Additional ecological information : No data available

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

SECTION 13: Disposal considerations**13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

Contaminated packaging : Empty remaining contents. Dispose of as unused product.
Do not re-use empty containers.

A quantitative risk assessment is not required for the environment.
A quantitative risk assessment is not required for human health.

SECTION 14: Transport information**14.1 - 14.7****Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C20-24) , 9, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C20-24) , 9, III (183°C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, 9: NOT PERMITTED FOR TRANSPORT

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C20-24) , 9, III , (D)

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C20-24) , 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C20-24) , 9, III

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture
National legislation**

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Water contaminating class (Germany) : WGK 1 slightly water endangering

15.2**Chemical Safety Assessment**

Components : Alkenes, C20-24 α - A Chemical Safety Assessment 300-202-1 has been carried out for this substance.

Major Accident Hazard Legislation : ZEU_SEVES3 Update: Not applicable

Notification status

Europe REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

AlphaPlus® C20-24


Version 2.10

Revision Date 2020-10-09

Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	This substance may be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance.
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 0
Fire Hazard: 1
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : PE0025

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect

AlphaPlus® C20-24

Version 2.10

Revision Date 2020-10-09

			Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Full text of H-Statements referred to under sections 2 and 3.

H304

May be fatal if swallowed and enters airways.