

# AlphaPlus® 1-DODECENE

### Version 2.8

Revision Date 2023-03-06

according to GB/T 16483 and GB/T 17519

Material : 1 Company : 0 Emergency telephone: Health: 866.442.9628 (North America) 1.832.813.4984 (International) Transport: CHEMTREC 800.424.9300 or 7 Asia: CHEMWATCH (+612 918 Mexico CHEMTREC 01-800-68 South America SOS-Cotec Insi Argentina: +(54)-1159839431 EUROPE: BIG +32.14.584545 Austria: VIZ +43 1 406 43 43 (2 Belgium: 070 245 245 (24 hour Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 hour Bulgaria: +3851 2348 345 (24 hour Bulgaria: +3851 2348 345 (24 hour Bulgari	36 1132) China: 0532 8388 9090 31-9531 (24 hours) de Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 (phone) or +32.14583516 (telefax) 24 hours/day, 7 days/week)
Emergency telephone: Health: 866.442.9628 (North America) 1.832.813.4984 (International) Transport: CHEMTREC 800.424.9300 or 7 Asia: CHEMWATCH (+612 918 Mexico CHEMTREC 01-800-68 South America SOS-Cotec Insi Argentina: +(54)-1159839431 EUROPE: BIG +32.14.584545 Austria: VIZ +43 1 406 43 43 (2 Belgium: 070 245 245 (24 hour Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 hour Cyprus: 1401 Czech Republic: Toxicological Denmark: Danish Poison Cente Estonia: BIG +32.14.584545 (p	Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380 703.527.3887(int'l) 36 1132) China: 0532 8388 9090 31-9531 (24 hours) de Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 (phone) or +32.14583516 (telefax) 24 hours/day, 7 days/week)
Health: 866.442.9628 (North America) 1.832.813.4984 (International) Transport: CHEMTREC 800.424.9300 or 7 Asia: CHEMWATCH (+612 918 Mexico CHEMTREC 01-800-68 South America SOS-Cotec Insi Argentina: +(54)-1159839431 EUROPE: BIG +32.14.584545 Austria: VIZ +43 1 406 43 43 (2 Belgium: 070 245 245 (24 hour Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 hour Cyprus: 1401 Czech Republic: Toxicological Denmark: Danish Poison Center Estonia: BIG +32.14.584545 (p	36 1132) China: 0532 8388 9090 31-9531 (24 hours) de Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 (phone) or +32.14583516 (telefax) 24 hours/day, 7 days/week)
866.442.9628 (North America) 1.832.813.4984 (International) <b>Transport</b> : CHEMTREC 800.424.9300 or 7 Asia: CHEMWATCH (+612 918 Mexico CHEMTREC 01-800-68 South America SOS-Cotec Insi Argentina: +(54)-1159839431 EUROPE: BIG +32.14.584545 Austria: VIZ +43 1 406 43 43 (2 Belgium: 070 245 245 (24 hour Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 hour Cyprus: 1401 Czech Republic: Toxicological Denmark: Danish Poison Center Estonia: BIG +32.14.584545 (p	36 1132) China: 0532 8388 9090 31-9531 (24 hours) de Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 (phone) or +32.14583516 (telefax) 24 hours/day, 7 days/week)
Germany: BIG +32.14.584545 Greece: (0030) 2107793777 (2 Hungary: +36-80-201-199 (24 H Iceland: 543 2222 (24 hours/da Ireland: BIG +32.14.584545 (phor Italy: BIG +32.14.584545 (phor Latvia: State Fire and Rescue S Poisoning and Drug Informatio 67042473. (24 hours.)	Information Center +420 224 919 293, +420 224 915 402 er (Giftlinjen): +45 8212 1212 hone) or +32.14583516 (telefax) 977 (24 hours/day) S): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) (phone) or +32.14583516 (telefax) 4 hours/day, 7 days/week) nours/day, 7 days/week) wy, 7 days/week) none) or +32.14583516 (telefax)

phaPlus® 1-DODEC	
rsion 2.8	Revision Date 2023-03
Malta: +356 2395 2000 The Netherlands: NVIC: + Norway: 22 59 13 00 (24 H Poland: BIG +32.14.58454 Portugal: CIAV phone nun Romania: +40213183606 Slovakia: +421 2 5477 410 Slovenia: Phone number:	hours/day, 7 days/week) 45 (phone) or +32.14583516 (telefax) nber: +351 800 250 250 66 112 cy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (2
Responsible Department E-mail address Website	<ul> <li>Product Safety and Toxicology Group</li> <li>SDS@CPChem.com</li> <li>www.CPChem.com</li> </ul>
CTION 2: Hazards identificati	ion
Emergency Overview	
Danger	te: liquid <b>Color</b> : Clear, colorless : Combustible liquid. May be fatal if swallowed and enters
Danger Form: liquid Physical stat Hazards	
Danger Form: liquid Physical stat	: Combustible liquid. May be fatal if swallowed and enters
Danger Form: liquid Physical stat Hazards	<ul> <li>Combustible liquid. May be fatal if swallowed and enters airways.</li> <li>Flammable liquids, Category 4</li> </ul>
Danger Form: liquid Physical stat Hazards Classification	<ul> <li>Combustible liquid. May be fatal if swallowed and enters airways.</li> <li>Flammable liquids, Category 4</li> </ul>
Danger Form: liquid Physical stat Hazards Classification	<ul> <li>Combustible liquid. May be fatal if swallowed and enters airways.</li> <li>Flammable liquids, Category 4</li> </ul>
Danger Form: liquid Physical stat Hazards Classification Labeling Symbol(s)	<ul> <li>Combustible liquid. May be fatal if swallowed and enters airways.</li> <li>Flammable liquids, Category 4 Aspiration hazard, Category 1</li> <li>: </li> </ul>
Danger Form: liquid Physical stat Hazards Classification Labeling Symbol(s) Signal Word	<ul> <li>Combustible liquid. May be fatal if swallowed and enters airways.</li> <li>Flammable liquids, Category 4 Aspiration hazard, Category 1</li> <li> • Output </li> <li> • Danger </li> <li> • H227: Combustible liquid.</li></ul>

sion 2.8				Revision Date 2023-03
		alcohol-r <b>Storage</b> P403 + F P405: \$ <b>Disposa</b>	235: Store in a well-ventila Store locked up. <b>I:</b> Dispose of contents/ containe	ted place. Keep cool.
TION 3: Composition/info	rmat	ion on ingr	edients	
Synonyms	:	NAO 12 Dodecene C12H24	-1 (C12)	
Molecular formula	:	C12H24		
Chemical name			CAS-No. / EINECS-No.	Concentration [wt%]
1-Dodecene			112-41-4	90 - 100
TION 4: First aid measure	s			
General advice	:	sheet to th	of dangerous area. Show this e doctor in attendance. Mate otentially fatal pneumonia if sv	erial may produce a
If inhaled	:		ious, place in recovery positic symptoms persist, call a phys	
In case of skin contact	:	lf on skin,	rinse well with water. If on clo	othes, remove clothes.
In case of eye contact	:	lenses. Pi	with water as a precaution. otect unharmed eye. Keep e eye irritation persists, consult	ye wide open while
If swallowed	:	an uncons	iratory tract clear. Never give cious person. If symptoms pe n immediately to hospital.	
TION 5: Firefighting meas	ures			
Flash point	:	77°C (171	°F)	
Autoignition temperature	:	225°C (43	7°F)	
Suitable extinguishing media	:	Carbon die	oxide (CO2).	

## Version 2.8

<b>Revision Date 2</b>	2023-03-06
------------------------	------------

rsion 2.8	Revision Date 2023-03
media	
Specific hazards during fire fighting	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.
Further information	: For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Fire and explosion protection	: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
CTION 6: Accidental release	measures
Personal precautions	: Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
CTION 7: Handling and stora	ge
Handling	
Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
Storage	
Requirements for storage areas and containers	: No smoking. Keep container tightly closed in a dry and well- ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
S Number:100000068203	4/12

Version 2.8

Revision Date 2023-03-06

SAFETY DATA SHEET

#### **SECTION 8: Exposure controls/personal protection**

#### Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection	:	If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of
		airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Organic Vapors. A positive pressure, air- supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame-resistant clothing. Footwear protecting against chemicals.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.

#### **SECTION 9: Physical and chemical properties**

Appearance	
Form Physical state Color	: liquid : liquid : Clear, colorless
Safety data	
Flash point	: 77°C (171°F)
Lower explosion limit	: 0.6 %(V)

Wash hands before breaks and at the end of workday.

# AlphaPlus® 1-DODECENE

Version 2.8

Revision Date 2023-03-06

Upper explosion limit	: 5.4 %(V)
Oxidizing properties	: no
Autoignition temperature	: 225°C (437°F)
Thermal decomposition	: No data available
Molecular formula	: C12H24
Molecular weight	: 168.36 g/mol
рН	: Not applicable
Freezing point	: -35°C (-31°F)
Boiling point/boiling range	: 213°C (415°F)
Vapor pressure	: 0.35 kPa at 65°C (149°F)
Relative density	: 0.76 at 15.6 °C (60.1 °F)
Density	: 0.76 g/m3 at 20°C (68°F)
	762 kg/m3 at 15°C (59°F)
	736 kg/m3 at 50°C (122°F)
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Partition coefficient: n-	: No data available
octanol/water Viscosity, kinematic	: 0.68 cSt at 100°C (212°F)
Relative vapor density	: 5.81 (Air = 1.0)
Evaporation rate	: No data available
ECTION 10: Stability and react	tivity
Reactivity	: Stable at normal ambient temperature and pressure.
DS Number:100000068203	6/12

SAFETY DATA SHE
Revision Date 2023-03
: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
eactions
: Further information: No decomposition if stored and applied as directed.
Hazardous reactions: Vapors may form explosive mixture with air.
: Heat, flames and sparks.
: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
: No data available
: No decomposition if stored and applied as directed.
ormation
<ul> <li>LD50: &gt; 10,000 mg/kg</li> <li>Species: Rat</li> <li>Sex: male</li> <li>Method: Fixed Dose Method</li> <li>Information given is based on data obtained from similar substances.</li> </ul>
: Not classified due to data which are conclusive although insufficient for classification.
: No skin irritation
<ul> <li>No eye irritation Information given is based on data obtained from similar substances.</li> </ul>
: Did not cause sensitization on laboratory animals.
: Species: Rat, Male and female Sex: Male and female

sion 2.8	Revision Date 2023-03-00
	Application Route: Oral diet Dose: 0, 100, 500, 1000 mg/kg Exposure time: 13 wk Number of exposures: daily NOEL: 1,000 mg/kg Method: OCED Guideline 408 Information given is based on data obtained from similar substances.
	Species: Rat, Male and female Sex: Male and female Application Route: Inhalation Dose: 0, 300, 1000, 3000 ppm Exposure time: 13 wk Number of exposures: 6 hrs/d, 5 d/wk NOEL: 3000 ppm Method: OECD Guideline 413 Information given is based on data obtained from similar substances.
Genotoxicity in vitro	
1-Dodecene	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Guideline 473 Result: negative
Reproductive toxicity	
1-Dodecene	<ul> <li>Species: Rat Sex: male</li> <li>Application Route: Oral diet</li> <li>Dose: 0, 100, 500, or 1000 mg/kg</li> <li>Exposure time: 44 D</li> <li>Number of exposures: daily</li> <li>Method: OECD Guideline 421</li> <li>NOAEL Parent: 1,000 mg/kg</li> <li>NOAEL F1: 1,000 mg/kg</li> </ul>
	Species: Rat Sex: female Application Route: Oral diet Dose: 0, 100, 500, or 1000 mg/kg Exposure time: 41-55 D Number of exposures: daily Method: OECD Guideline 421 NOAEL Parent: 1,000 mg/kg NOAEL F1: 1,000 mg/kg
Aspiration toxicity	
1-Dodecene	: May be fatal if swallowed and enters airways.
CMR effects	
S Number:100000068203	8/12

ohaPlus® 1-DODECEN	SAFETY DATA SHE
sion 2.8	– Revision Date 2023-03
	Carcinogenicity: Not available Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Teratogenicity: Not available Reproductive toxicity: Animal testing did not show any effects on fertility.
AlphaPlus® 1-DODECENE Further information	Solvents may degrease the skin.
CTION 12: Ecological information	1
Toxicity to fish	
1-Dodecene :	No toxicity at the limit of solubility.
Toxicity to daphnia and other a	quatic invertebrates
1-Dodecene :	No toxicity at the limit of solubility.
Toxicity to algae	
1-Dodecene :	No toxicity at the limit of solubility.
Biodegradability	
1-Dodecene :	74.1 - 80 % Testing period: 28 d Method: OECD Test Guideline 301 This material is expected to be readily biodegradable.
Bioaccumulation	
1-Dodecene :	No data available
Mobility	
1-Dodecene :	No data available
Results of PBT assessment 1-Dodecene :	Non-classified PBT substance, Non-classified vPvB substance
Additional ecological : information Ecotoxicology Assessment	No data available
Short-term (acute) aquatic hazaro 1-Dodecene :	This material is not expected to be harmful to aquatic organisms.
S Number:100000068203	9/12

SAFETY DATA SHEET

Version 2.8

Revision Date 2023-03-06

#### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.	

#### **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

### US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN3295, HYDROCARBONS, LIQUID, N.O.S., COMBUSTIBLE LIQUID, III

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE

SDS Number:100000068203

10/12

# AlphaPlus® 1-DODECENE

Version 2.8

Revision Date 2023-03-06

OF DANGEROUS GOODS BY INL	AND WATERWAYS)					
	RDOUS MATERIAL OR DANGEROUS GOODS FOR					
TRANSPORTATION BY THIS A						
	STANCES WITH A FLASH-POINT ABOVE 60°C AND NOT					
	STANCES WITT A FLASH-FOINT ABOVE OUC AND NOT					
MORE THAN 100°C, 9						
Other information : 1-Dodecene, S.T. 3, Cat. Y						
Maritime transport in bulk accord	ling to IMO instruments					
CTION 15: Regulatory information						
Notification status						
Europe REACH	: This product is in full compliance according to REACH					
	regulation 1907/2006/EC.					
Switzerland CH INV	: On the inventory, or in compliance with the inventory					
United States of America (USA)	: On or in compliance with the active portion of the					
TSCA	TSCA inventory					
Canada DSL	: All components of this product are on the Canadian					
	DSL					
Australia AIIC	: On the inventory, or in compliance with the inventory					
New Zealand NZIoC	: On the inventory, or in compliance with the inventory					
Japan ENCS	: On the inventory, or in compliance with the inventory					
Philippines PICCS	: On the inventory, or in compliance with the inventory					
Korea KECI	: A substance(s) in this product was not registered,					
	notified to be registered, or exempted from registration					
	by CPChem according to K-REACH regulations.					
	Importation or manufacture of this product is still					
	permitted provided the Korean Importer of Record has					
	themselves notified the substance or the exported					
	amount does not exceed the minimum threshold					
	quantity of the non-registered substance(s).					
Taiwan TCSI	: On the inventory, or in compliance with the inventory					
China IECSC	: On the inventory, or in compliance with the inventory					
	. On the inventory, or in compliance with the inventory					
Other regulations	: Law on Prevention and Control of Environment					
	Pollution by Solid Waste, China. Banned or Severely					
	Restricted Toxic Chemicals Regulation for					
	Environmental Management of the First Import of					
	Chemicals and the Import & Export of Toxic					
	Chemicals and the import & Export of Toxic Chemicals, Article 3)					
	Provisions on the Safe Use of Chemicals at					
	Workplace, GB13690: General rule for classification					
	and hazard communication of chemicals, Fire					
	Protection Law					

Version 2.8

Revision Date 2023-03-06

SAFETY DATA SHEET

#### **SECTION 16: Other information**

#### Further information

Legacy SDS Number : PE0019

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

k	Key or legend to abbreviations and a	cronyms used	d in the safety data sheet
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000068203