Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

inting date 01.06.2023	Version number 1	Revision: 01.06.2023
SECTION 1: Identificatio	on of the substance/mixture and of t	he company/undertaking
· 1.1 Product identifier		
· Trade name: <u>Ammonia solutio</u>	n approx. 15 %	
 Article number: 283 EC number: 215-647-6 Index number: 007-001-01-2 I.2 Relevant identified uses of a No further relevant information Application of the substance / 1 		against
• 1.3 Details of the supplier of th • Manufacturer/Supplier: Möller Chemie GmbH & Co. Ko Bürgerkamp 1 D-48565 Steinfurt Tel.: 02551/9340-0 Fax: 02551/9340-60		
· Further information obtainabl	e from: Product safety department	
• 1.4 Emergency telephone num	ber: 24 hour emergency service - Tel.: +49 (0) 6	121/10240
1 bison Control Center Mainz -	24 hour emergency service - 1et +49 (0) 0	131/19240
SECTION 2: Hazards ide	ntification	
 2.1 Classification of the substa. Classification according to Reg GHS05 corrosion 		
Skin Corr. 1B H314 Causes	severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes	serious eye damage.	
GHS09 environment		
Aquatic Acute 1 H400 Very tox	ic to aquatic life.	
GHS07		
STOT SE 3 H335 May cau	use respiratory irritation.	
 2.2 Label elements Labelling according to Regular The substance is classified and Hazard pictograms 	tion (EC) No 1272/2008 labelled according to the CLP regulation.	
GHS05 GHS07 GHS09		
 Signal word Danger Hazard statements H314 Causes severe skin burns H335 May cause respiratory irr 		
H400 Very toxic to aquatic life.		
		(Contd. on page 2)

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

(Contd. of page 1)

Trade name: Ammonia solution approx. 15 %

· Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· 2.3 Other hazards

The product does not contain any substance above the legal limits included on the list for endocrine disrupting properties established under Article 59(1) of Regulation (EC) No 1907/2006 or under Commission Delegated Regulation (EU) 2017/2100 or of Commission Regulation (EU) 2018/605 has endocrine disrupting properties.

· Results of PBT and vPvB assessment

· PBT:

The product does not contain any substances above legal limits that meet the criteria for PBT (persistent, bioaccumulative and toxic).

· vPvB:

The product does not contain any substances above legal limits that meet the criteria for vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- Ammonia solution approx. 15 %
- · Identification number(s)
- EC number: 215-647-6
- · Index number: 007-001-01-2
- Specific concentration limits STOT SE 3; $C \ge 5 \%$

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air, consult doctor in case of complaints.
- After skin contact:
- Remove contaminated clothing and shoes immediately.

Immediately wash with water and soap and rinse thoroughly.

- Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Do not induce vomiting.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- + 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- \cdot 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released:

(Contd. on page 3)

EU

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

(Contd. of page 2)

Trade name: Ammonia solution approx. 15 %

Ammonia (NH3)

Nitrogen oxides (NOx)

• 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed. Avoid contact with skin, eves and clothing.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: Fumes can combine with air to form an explosive mixture.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Keep container tightly closed Keep us in a cool, well-ventilated place. Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from acids.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 8B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

(Contd. of page 3)

Trade name: Ammonia solution approx. 15 %

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Chloroprene rubber, CR

Natural rubber, NR

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection
- Safety glasses



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and c	chemical properties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Pungent
Melting point/freezing point:	-57.5 °C
Boiling point or initial boiling point and	d boiling
range	24.7 °C
Lower and upper explosion limit	
Lower:	15 Vol %
Upper:	28 Vol %
Flash point:	not applicable
Ignition temperature:	651 °C
pH (280 g/l) at 25 °C	11.8
Solubility	
water:	Fully miscible.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.940 g/cm ³
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of environment, and on safety.	f health and
Explosive properties:	Product does not present an explosion hazard.
Information with regard to physical has	zard classes
Explosives	Void

(Contd. on page 5)

EU

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

Trade name: Ammonia solution approx. 15 %

		(Contd. of page
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Corrosive action on metals. Reacts with halogenated compounds.

Reactions with acids.

- · 10.4 Conditions to avoid impurities. (metals, dust, organic substances)
- 10.5 Incompatible materials:

acids Oxidizing agent

- metals
- · 10.6 Hazardous decomposition products:
- Nitrogen oxides (NOx)

Corrosive gases/vapours

No hazardous decomposition products if stored and handled as prescribed/indicated become.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Inhalative LC50/4h 7.6 mg/l (rat)

- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.

· Serious eye damage/irritation

- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure

- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

Trade name: Ammonia solution approx. 15 %

· 11.2 Information on other hazards

• Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information	n
---	---

· 12.1 Toxicity

· Aquatic toxicity:

LC50/96 h: 0,16 - 1,1 mg/l (Oncorhynchus mykiss)

- EC50/48 h: 25,4 mg/l (Daphnia magna)
- · 12.2 Persistence and degradability
- Anorganic product, is not eliminable from water by means of biological cleaning processes.
- · 12.3 Bioaccumulative potential
- Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- PBT: The product is not considered to be persistent, bioaccumulating nor toxic (PBT).
- *vPvB*: The product is not considered to be persistent or very bioaccumulative (*vPvB*).
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal according to local regulations.
- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

• 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN2672
· 14.2 UN proper shipping name	
$\cdot ADR$	2672 AMMONIA SOLUTION, ENVIRONMENTALL
	HAZARDOUS
·IMDG	AMMONIA SOLUTION, MARINE POLLUTANT
·IATA	AMMONIA SOLUTION

(Contd. of page 5)

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

Trade name: Ammonia solution approx. 15 %

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
· Class	8 (C5) Corrosive substances.
· Label	8
· Class · Label	8 Corrosive substances. 8
· IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Environmentally hazardous substance, liquid; Marin Pollutant
· Marine pollutant:	No Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Corrosive substances. 20 F-A,S-B
· Segregation groups	(SGG18) Alkalis A
· Stowage Category · Stowage Code	SW2 Clear of living quarters. SW5 If under deck, stow in a mechanically ventilated
· Segregation Code	space. SG35 Stow "separated from" SGG1-acids
• 14.7 Maritime transport in bulk according to IN instruments	<i>10</i> Not applicable.
· Transport/Additional information:	
· ADR	
Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E

EU -

Printing date 01.06.2023

Version number 1

Revision: 01.06.2023

Trade name: Ammonia solution approx. 15 %

(Contd.	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2672 AMMONIA SOLUTION, 8, 111, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: Mrs. Steyer

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

EU -