

Printing date: 28.07.2021 Version No: 6.00 (replaces version 5.03) Revision: 28.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica
- · CAS Number:

7631-86-9

112945-52-5

· EC number:

231-545-4

· Registration number:

01-2119379499-16-0109

Nanoform

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation:

Auxiliary

Lacquer

Rubber

Plastic additive

Cosmetic auxiliary

Cosmetics, personal care products

- · Uses advised against: No further relevant information available.
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

DK Orisil Plant, Ltd.

Zavodska Street, 12

77300 Kalush, Ukraine

E-Mail: orisil@orisil.ua

· 1.4 Emergency telephone number:

Orisil, Ltd.

Chornovil Avenue, 45A

Building 5

79019 Lviv, Ukraine

Tel.: +38 032 297 12 19 (8:30-17.00 h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The substance is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: No
- · **vPvB:** No

Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

7631-86-9 silicon dioxide, chemically prepared

- · Identification number(s)
- · EC number: 231-545-4
- · Additional information:

INCI Name: SILICA

· Nanoform Spheroidal, amorphous nanoform, non-surface-treated nanoforms

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

No special measures required.

If symptoms persist consult doctor.

- · After inhalation: Supply fresh air.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

- · After swallowing: Rinse mouth.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

Keep away from ignition sources.

(Contd. on page 3)

Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica

(Contd. of page 2)

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

- · Information about fire and explosion protection: Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Protect from contamination.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNFI

CAS: 7631-86-9 silicon dioxide, chemically prepared

Inhalative DNEL(long/systemic) 4 mg/m3 (Workers (Industrial/Professional))

- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

The usual precautionary measures are to be adhered to when handling chemicals.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

Printing date: 28.07.2021 Version No: 6.00 (replaces version 5.03) Revision: 28.07.2021

Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

· Gases under pressure

· Flammable liquids

· Flammable solids

- · Body protection: Protective work clothing
- · Environmental exposure controls None

SECTION 9: Physical and chemical prop	perties
9.1 Information on basic physical and chemical p	properties
9.1 Injormation on basic physical and chemical p General Information	operaes
Physical state	Solid
Form:	Powder
Colour:	White
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	> 1700 °C
Boiling point or initial boiling point and boiling	1700 C
range	2230 °C
Flammability	Product is not flammable.
Lower and upper explosion limit	Troduct is not filmmatic.
Lower:	Not applicable.
Upper:	Not applicable.
Epper. Flash point:	Not applicable.
I ash point. Ignition temperature:	Not determined.
	Not determined. Not determined.
Decomposition temperature:	Noi determined. 6
pH Vissositu	0
Viscosity:	Not applicable
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	0 1 11
water:	Soluble.
Partition coefficient n-octanol/water (log value)	0.53 log POW (calculation,KOWWIN,v.1.67)
**	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density at 20 °C:	2.2 g/cm^3
Relative density	Not determined.
Vapour density	Not applicable.
Relative gas density	Not applicable.
Particle characteristics	See item 3.
9.2 Other information	
Explosive properties:	Product does not present an explosion hazard
Oxidising properties	No
Evaporation rate	Not applicable.
<u> </u>	
Information with regard to physical hazard class	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
L'agag sin dan muaggina	Void

Void

Void

Void

(Contd. on page 5)

Printing date: 28.07.2021 Version No: 6.00 (replaces version 5.03) Revision: 28.07.2021

Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica

		(Contd. of page
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability No decomposition if used and stored according to specifications.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
	CAS: 7631-86-9 silicon dioxide, chemically prepared			
	Oral	LD50	>5000 mg/kg (Rat) (OECD 401)	
	Dermal	LD50	>2000 mg/kg (Rabbit)	
	Inhalative	LC50 (4h)	>58.8 mg/L (Rat) (OECD 403, nominal)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Not applicable
- · 12.2 Persistence and degradability Not applicable

(Contd. on page 6)

Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica

(Contd. of page 5)

· 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

 $Negative\ ecological\ effects\ are,\ according\ to\ the\ current\ state\ of\ knowledge,\ not\ expected.$

Not hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name	
· ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR/RID/ADN, IMDG, IATA · Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

- IE

(Contd. on page 7)

Printing date: 28.07.2021 Version No: 6.00 (replaces version 5.03) Revision: 28.07.2021

Trade name: Orisil 150, 200, 300, 380, hydrophilic amorphous fumed silica

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Chemservice GmbH

Herrnsheimer Hauptstrasse 1b

D-67550 Worms

Tel.: +49 (0)6241-95480-0 Fax: +49 (0)6241-95480-25 Email: sds@chemservice-group.com

· Version number of previous version: 5.03

· Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

UN: United Nations (also UNO: United Nations Organization)

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

ASTM: American Society for Testing and Materials

WAF: Water Accommodated Fraction

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative