Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SteKat B70

· Article number: 1526

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Polyurethane catalyst

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Möller Chemie GmbH & Co. KG

Bürgerkamp 1 D-48565 Steinfurt Tel.: 02551/9340-0 Fax: 02551/9340-60

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 hour emergency service - Tel.: +49 (0) 6131/19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS06

- · Signal word Danger
- · Hazard-determining components of labelling: ethanamine, 2,2'-oxybis[N,N-dimethyl-
- · Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

The product does not contain any substance above the legal limits included on the list for endocrine disrupting properties established under Article 59(1) of Regulation (EC) No 1907/2006 or under Commission Delegated Regulation (EU) 2017/2100 or of Commission Regulation (EU) 2018/605 has endocrine disrupting properties.

· Results of PBT and vPvB assessment

· PRT·

The product does not contain any substances above legal limits that meet the criteria for PBT (persistent, bioaccumulative and toxic).

· vPvB:

The product does not contain any substances above legal limits that meet the criteria for vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below.

· Dangerous components:				
CAS: 3033-62-3	ethanamine, 2,2'-oxybis[N,N-dimethyl-	>50.0%		
EINECS: 221-220-5	Acute Tox. 3, H311; Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H332			
	Dipropylene glycol (isomer unspecified)	<50.0%		
EINECS: 246-770-3				

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide

carbon dioxide

Nitrogen oxides (NOx)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder, sawdust). Use neutralising agent.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin, eyes and clothing.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool, dry place in tightly closed containers.

- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions: Keep container tightly closed.
- · Storage class: 6.1 A
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

(Contd. of page 3)

· Individual protection measures, such as personal protective equipment

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: colorless to light yellow

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range > 190 °C • Flammability Not applicable.

Lower and upper explosion limit

 · Lower:
 1.0 Vol %

 · Upper:
 12.6 Vol %

 · Flash point:
 71 °C

 · Ignition temperature:
 310 °C

• **Decomposition temperature:** Not determined.

· pH at 20 °C

· Viscosity:

• Kinematic viscosity Not determined.

· Dynamic at 20 °C: 4 mPas

·Solubility

water: miscible
 Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C:

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

(Contd. on page 5)

Version number 1 Printing date 11.05.2023 Revision: 08.05.2023

Trade name: SteKat B70

(Contd. of page 4)

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Void · Flammable solids · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void Void gases in contact with water Void Void

· Substances and mixtures, which emit flammable · Oxidising liquids · Oxidising solids · Organic peroxides Void · Corrosive to metals Void Void

· Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Exothermic reaction with acids.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated become.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed or if inhaled.

Toxic in contact with skin.

LD/LC50	values	relevant for	classification.
LULLUNG			

ATE (Acute Toxicity Estimates)

LD50 Dermal 600 mg/kg Inhalative LC50/4h 3 mg/l

3033-62-3 ethanamine, 2,2'-oxybis[N,N-dimethyl-

300 mg/kg (ATE) Dermal LD50

(Contd. on page 6)

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

Inhalative | LC50/4h | 11 mg/l (ATE) (Contd. of page 5)

25265-71-8 Dipropylene glycol (isomer unspecified)

Dermal LD50 >5,000 mg/kg (rabbit)

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:

The product does not contain any substance above the legal limits included on the list for endocrine disrupting properties established under Article 59(1) of Regulation (EC) No 1907/2006 or under Commission Delegated Regulation (EU) 2017/2100 or of Commission Regulation (EU) 2018/605 has endocrine disrupting properties.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

EC50/72 h: 23 mg/l (algae)

LC50/96 h: 124 mg/l (fish)

- · 12.2 Persistence and degradability Heavily biodegradable
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
- · vPvB: This substance is not considered to be very persistent nor very bioaccumulative (vPvB).
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

Endocrine damaging Characteristics:

No endocrine damaging properties for the environment.

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal according to local regulations.

(Contd. on page 7)

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

(Contd. of page 6)

· Uncleaned packaging:
· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, IMDG, IATA	UN2922	
14.2 UN proper shipping name ADR	2922 CORROSIVE LIQUID, TOXIC, N.C	
IMDG, IATA	(ethanamine, 2,2'-oxybis[N,N-dimethyl-) CORROSIVE LIQUID, TOXIC, N.O.S. (ethanamine, 2 oxybis[N,N-dimethyl-)	
14.3 Transport hazard class(es)		
ADR		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Class Label	8 Corrosive substances. 8+6.1	
IMDG		
Class Label	8 Corrosive substances. 8/6.1	
IATA		
Class Label	8 Corrosive substances. 8 (6.1)	
14.4 Packing group ADR, IMDG	II	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Corrosive substances. 86 F-A,S-B	
14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

	(Contd. of page 7)
· Tunnel restriction code	E
· UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (ETHANAMINE, 2,2'-OXYBIS[N,N-DIMETHYL-), 8 (6.1), II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I

The material is not included.

None of the ingredients is listed.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

- · Department issuing SDS: Product safety department
- · Contact: Mrs. Steyer
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 9)

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 08.05.2023

Trade name: SteKat B70

Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. of page 8)