Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Solvent D 30 · Article number: 1133 · CAS Number: 64742-49-0

• EC number: 927-241-2 • Index number: 649-328-00-1

· **Registration number** 01-2119471843-32

 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Solvent for various applications

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Möller Chemie GmbH & Co. KG

Bürgerkamp 1 D-48565 Steinfurt Tel.: 02551/9340-0 Fax: 02551/9340-60

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 hour emergency service - Tel.: +49 (0) 6131/19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard statements

H226 Flammable liquid and vapour.

(Contd. on page 2)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

(Contd. of page 1)

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

· 2.3 Other hazards

The product does not contain any substance above the legal limits included on the list for endocrine disrupting properties established under Article 59(1) of Regulation (EC) No 1907/2006 or under Commission Delegated Regulation (EU) 2017/2100 or of Commission Regulation (EU) 2018/605 has endocrine disrupting properties.

· Results of PBT and vPvB assessment

· PBT:

The product does not contain any substances above legal limits that meet the criteria for PBT (persistent, bioaccumulative and toxic).

· vPvB:

The product does not contain any substances above legal limits that meet the criteria for vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

- · Identification number(s)
- **EC** number: 927-241-2
- · Index number: 649-328-00-1

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

Headache, dizziness, fatigue, nausea and other central nervous system effects.

· 4.3 Indication of any immediate medical attention and special treatment needed

If ingested, material can be aspirated into the lungs and cause chemical pneumonia. Treat accordingly.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 3)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

(Contd. of page 2)

Carbon monoxide, carbon dioxide

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in tightly closed containers.

- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class:

3

flammable

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

RCP-TWA (total hydrocarbons)

AGW: 1200 mg/m³

· DNELs

worker:

long-term systemic effects, dermal: 77 mg/kg long-term systemic effects, inhalative: 871 mg/m³

Consumer:

long-term systemic effects, dermal: 46 mg/kg long-term systemic effects, inhalative: 185 mg/m³ long-term systemic effects, oral: 46 mg/kg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· **Body protection:** Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour:
 Odour:
 Odour threshold:
 Melting point/freezing point:

Colourless

 paraffinic
 Not determined.
 <-30 °C

· Boiling point or initial boiling point and boiling

range 143-160 °C

· Lower and upper explosion limit

Lower: 0.8 Vol %
 Upper: 6 Vol %
 Flash point: 27 °C
 Ignition temperature: 287 °C

• **Decomposition temperature:** Not determined. • **pH** Not determined.

· Viscosity:

• Kinematic viscosity at 25 °C 0.91 mm²/s
• Dynamic: Not determined.

·Solubility

• water: Not or hardly miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 100 hPa

· Density and/or relative density

• Density at 15 °C: 0.763 g/cm³
• Relative density Not determined.

(Contd. on page 5)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

	(Contd. of page 4
· Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	· ·
Form:	Fluid
Important information on protection of heal	th and
environment, and on safety.	
Auto-ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Change in condition	explosive air/vapour mixtures are possible.
Evaporation rate	Not determined
1	1100 000011111110011
Information with regard to physical hazard of	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	
Flammable liquid and vapour.	
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Avoid all sources of ignition: heat, sparks, open flames.
- · 10.5 Incompatible materials: Strong oxidizing agents
- · 10.6 Hazardous decomposition products: No decomposition if used as directed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

 Dermal
 LD50
 >2.000 mg/kg (rat)

 Inhalative
 LC50/4h
 >5.000 mg/l (rat)

· Skin corrosion/irritation

Slight irritant effect possible - does not require labeling.

Prolonged or repeated contact may degrease the skin and lead to dermatitis.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

(Contd. of page 5)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

Fish:

 $10 < LC/EC/IC50 \le 100 \text{ mg/l}$

invertebrates:

 $10 < LC/EC/IC50 \le 100 \text{ mg/l}$

algae:

LC/EC/IC50 > 100 mg/l

Microorganisms:

LC/EC/IC50 > 1000 mg/l

- · 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Bioaccumulation potentially possible.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- PBT: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
- · vPvB: This substance is not considered to be very persistent nor very bioaccumulative (vPvB).
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects No further relevant information available.
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water according to AwSV - Ordinance on systems for handling water-polluting substances

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal according to local regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA UN1268
- · 14.2 UN proper shipping name
- · ADR 1268 PETROLEUM DISTILLATES, N.O.S.

(Contd. on page 7)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

	(Contd. of pag
· IMDG, IATA	PETROLEUM DISTILLATES, N.O.S.
· 14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
Stowage Category	A
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	51
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1268 PETROLEUM DISTILLATES, N.O.S. 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29, 40

(Contd. on page 8)

Printing date 03.04.2023 Version number 1 Revision: 03.04.2023

Trade name: Solvent D 30

(Contd. of page 7)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mrs. Steyer
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

EU