Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SteKat G1250

· Article number: 2045

· Registration number F4D0-J030-V00C-3RDA

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC32 Polymer preparations and compounds
- · Application of the substance / the mixture Polyurethane catalyst
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Möller Chemie GmbH & Co. KG

Bürgerkamp 1 D-48565 Steinfurt Tel.: 02551/9340-0 Fax: 02551/9340-60

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 hour emergency service - Tel.: +49 (0) 6131/19240

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS05

GHS07

· Signal word Danger

· Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation. H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

(Contd. of page 1)

#### · Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

*P362+P364* Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

The product does not contain any substance above the legal limits included on the list for endocrine disrupting properties established under Article 59(1) of Regulation (EC) No 1907/2006 or under Commission Delegated Regulation (EU) 2017/2100 or of Commission Regulation (EU) 2018/605 has endocrine disrupting properties.

#### · Results of PBT and vPvB assessment

· PBT:

The product does not contain any substances above legal limits that meet the criteria for PBT (persistent, bioaccumulative and toxic).

· vPvB:

The product does not contain any substances above legal limits that meet the criteria for vPvB (very persistent and very bioaccumulative).

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.

| · Dangerous components:    |                                                                                     |       |
|----------------------------|-------------------------------------------------------------------------------------|-------|
| CAS: 107-21-1              | ethanediol                                                                          | >50%  |
| EINECS: 203-473-3          | <b>♦</b> STOT RE 2, H373; <b>♦</b> Acute Tox. 4, H302                               |       |
| Index number: 603-027-00-1 |                                                                                     |       |
| CAS: 280-57-9              | triethylenediamine                                                                  | < 50% |
| EINECS: 205-999-9          | ♦ Flam. Sol. 2, H228; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315 |       |

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 3)

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

(Contd. of page 2)

Carbon monoxide, carbon dioxide

Nitrogen oxides (NOx)

5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Soak up with absorbent material (sand, diatomaceous earth, acid binder, universal binder, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation / exhaustion at the workplace.

Avoid contact with skin, eyes and clothing.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in tightly closed containers.

- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions: Keep container tightly closed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 107-21-1 ethanediol

IOELV Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm

Skin

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from food, drink and animal feed.

Take off contaminated, soaked clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with eyes.

Avoid contact with eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:

Suitable respiratory protective device recommended.

(Contd. on page 4)

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

(Contd. of page 3)

Filter A/P2

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: colorless to light yellow

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 174 °C

· Flammability Not applicable.

Lower and upper explosion limit

Lower: 3.2 Vol %
 Upper: 53 Vol %
 Flash point: 111 °C
 Auto-ignition temperature: 330 °C

• **Decomposition temperature:** Not determined.

· pH > 9

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 0.1 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

(Contd. on page 5)

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

|                                              | (Contd. of page                               |
|----------------------------------------------|-----------------------------------------------|
| Explosive properties:                        | Product does not present an explosion hazard. |
| Change in condition                          | 1                                             |
| Evaporation rate                             | Not determined.                               |
| Information with regard to physical hazard o | classes                                       |
| Explosives                                   | Void                                          |
| Flammable gases                              | Void                                          |
| Aerosols                                     | Void                                          |
| Oxidising gases                              | Void                                          |
| Gases under pressure                         | Void                                          |
| Flammable liquids                            | Void                                          |
| Flammable solids                             | Void                                          |
| Self-reactive substances and mixtures        | Void                                          |
| Pyrophoric liquids                           | Void                                          |
| Pyrophoric solids                            | Void                                          |
| Self-heating substances and mixtures         | Void                                          |
| Substances and mixtures, which emit flamm    | able                                          |
| gases in contact with water                  | Void                                          |
| Oxidising liquids                            | Void                                          |
| Oxidising solids                             | Void                                          |
| Organic peroxides                            | Void                                          |
| Corrosive to metals                          | Void                                          |
| Desensitised explosives                      | Void                                          |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reactions with acids.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated become.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed or in contact with skin.

| 11armjui ij | , swai                      | nowed or in contact with skin.  |  |  |
|-------------|-----------------------------|---------------------------------|--|--|
| · LD/LC50   | value                       | es relevant for classification: |  |  |
| 107-21-1    | ethan                       | ediol                           |  |  |
| Dermal L    | D50                         | 9.530 mg/kg (rabbit)            |  |  |
|             | 280-57-9 triethylenediamine |                                 |  |  |
| Dermal L    | D50                         | 700 mg/kg (rat)                 |  |  |
|             |                             | >2.000 mg/kg (rabbit)           |  |  |

- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

(Contd. of page 5)

· STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS No.: 107-21-1 ethanediol LC50/96 h > 10 mg/l (Fish) EC50/48 h > 10 mg/l (Daphnia) EC50/16 h: 10 mg/l (Bacteria)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** The product is not considered to be persistent, bioaccumulating nor toxic (PBT).
- · vPvB: The product is not considered to be persistent or very bioaccumulative (vPvB).
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · **Recommendation** Disposal according to local regulations.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN number or ID number     |                 |  |
|-----------------------------------|-----------------|--|
| · ADR, ADN, IMDG, IATA            | Void            |  |
| · 14.2 UN proper shipping name    |                 |  |
| · ADR, ADN, IMDG, IATA            | Void            |  |
| · 14.3 Transport hazard class(es) |                 |  |
| · ADR, ADN, IMDG, IATA            |                 |  |
| · Class                           | Void            |  |
| · 14.4 Packing group              |                 |  |
| · ADR, IMDG, IATA                 | Void            |  |
| · 14.5 Environmental hazards:     | Not applicable. |  |

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

(Contd. of page 6)

• 14.6 Special precautions for user Not applicable.

• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

• UN "Model Regulation": Void

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I

The material is not included.

None of the ingredients is listed.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

*None of the ingredients is listed.* 

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H228 Flammable solid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Product safety department
- · Contact: Mrs. Steyer
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)

Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2024 Version number 1 Revision: 31.08.2023

Trade name: SteKat G1250

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. of page 7)